

# **Safety Data Sheet**

## MARK3 PIT & FISSURE OPAQUE SEALANT

Section 1 – Identification

**Product Name:** MARK3 Pit & Fissure Opaque Sealant Manufacturer: Cargus International, Inc. 135 North Route 9W

**Light Cured** 

Congers, New York, 10920 Fissure Sealer Opaque Resin Information Contacts: (845) 267-2600

Toll Free: (845) 833-267-2600

Professional Dental Preventive Care **Product Use:** Emergency Phone Numbers: US & Canada: (845) 267-2600

#### Section 2 – Hazards Identification

#### **EMERGENCY OVERVIEW**

This information is based on findings from related or similar materials.

Irritant for eyes. Irritant for skin.

Family:

Prolong exposure does not cause respiratory system irritation.

Ingestion of large amounts may cause nausea, vomiting, headaches, or dizziness.



Page 1 of 4

## Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Irritant for eyes. Eye Skin Irritant for skin

Swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing Ingestion

large amounts may be harmful. Symptoms include irritation of the throat, nausea, dizziness, and upset

stomach.

Inhalation Not Applicable.

#### Section 3 – Composition/Information on Ingredients

<b>Chemical Identity</b>	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
None	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/E – None Established N/R – Not Reviewed	N/DA – No Data N/A – Not Ap						

#### Section 4 – First Aid Measures

First Aid for Eye Flush with water for 15 minutes, including under eyelids. Get medical help if discomfort persists.

First Aid for Skin Wash with water and soap.

First Aid for Ingestion Small quantities will pass through system. If greater than normal dose is swallowed, do not induce

vomiting. Drink large quantity of water. Seek medical attention.

First Aid for Inhalation No harm anticipated from materials in quantities as packaged.

#### Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

Extinguishing Media: Carbon dioxide, dry chemical foam, water.

Fire Fighting During a fire, irritating gases may be generated by thermal decomposition. If potential for exposure, wear complete personal protective equipment including self contained breathing apparatus, with **Instructions:** 

full face operated in pressure demand.

Evacuate all personnel. Unusual Hazards:

Document: SDS-016 Date of Issue: 12/31/2014



# **Safety Data Sheet**

#### MARK3 PIT & FISSURE OPAQUE SEALANT

Page 2 of 4

#### Section 6 – Accidental Release Measures

Spill or Release Procedures Minor spills – Clean up immediately, avoid contact with eyes and skin. Mop / wipe area and clean with soapy water Major spills – Clear area of personnel. Restrict access to area. Avoid contact with eyes and skin, and dilute area with soapy

water. Collect contaminated water and dispose of properly.

See section 8 & section 12.

#### Section 7 – Handling and Storage

Handling Does not require specific technical measures. Avoid exposure to moisture and light. Wear gloves.

Storage Storage Store at temperatures not exceeding 75 degrees Farenheit and away from heat. Keep containers closed when

not in use. Keep in original container provided by manufacturer.

Explosion Hazard None.

#### Section 8 – Exposure Controls / Personal Protection

Engineering None Required

Controls

**Personal Protective Equipment** 

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard

assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard EN166 be

conducted before using this product.

Eye/Face Safety glasses/goggles or splash shields are recommended.

Protection

Skin Protection Wear gloves and protective gown.

Respiratory Protection

ry None Required

#### Section 9 – Physical and Chemical Properties

Appearance Odor & Odor Threshold		pН	Specific Gravity	Viscosity	% V	olatile	
Opaque Yellow Liquid		Slight Acrylic Odor	Slight Acrylic Odor N/A ~1		N/A	N	J/A
Boiling Point/ Freezing Point	Decomposition Temperatur		Vapo Pressu		Evaporation Rate	Ignition	Solubility In Water (20°C)
N/DA	N/DA	N/DA	Negligi	ble >1	N/A	N/A	Soluble

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

#### Section 10 – Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable No dangerous reaction known **Hazardous Decomposition Products:** Hazardous Polymerization:

None Known None in quantities as packaged

**Conditions to Avoid:** Exposure to light and temperatures above 80 degrees F.

#### Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation Toxicity	Irritation – skin	Irritation – Eye
N/DA	N/DA	N/DA	N/DA	N/ DA

Sensitization	Mutagenicity	Sub-chronic Toxicity
N/ DA	N/DA	N/ DA

Document: SDS-016 Date of Issue: 12/31/2014



# **Safety Data Sheet**

#### MARK3 PIT & FISSURE OPAQUE SEALANT

Page 3 of 4

### Section 12 – Ecological Information

**Ecotoxicological Information** 

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to
				Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

#### **Chemical Fate Information**

Biodegradability	Biodegradable
Chemical Oxygen Demand	N/ DA

## Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

### Section 14 – Transport Information

DOT (49 CFR 172)	
Proper Shipping Name:	Non-regulated material
Identification Number:	N/A
Marine Pollutant:	No
Special Provisions:	N/A
Emergency Response Guidebook (ERG) #:	N/A
IATA (DGR):	
Proper Shipping Name:	Non-regulated material
Class or Division:	N/A
UN or ID Number:	N/A
Packaging Instructions:	N/A
Emergency Response Guidance (ICAO)#:	N/A
IMO (IMDG):	
Proper Shipping Name:	Non-regulated material
Class or Division:	N/A
UN or ID Number:	N/A
Special Provisions & Stowage/Segregation:	N/A
Emergency Schedule (EmS)#:	N/A
Other Information:	N/A

## Section 15 – Regulatory Information

#### **US Federal Regulations**

Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• None
Clean Water Act: Priority Pollutant	This product contains the following chemicals listed under the U. S. Clean Water Act Priority
	Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and /or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication Standard.
Act	It's hazards are:
	• None
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.

Document: SDS-016 Date of Issue: 12/31/2014




## Safety Data Sheet MARK3 PIT & FISSURE OPAQUE SEALANT Page 4 of 4

SARA Title III: Section 302 (TPQ)	This product contains no chemicals regulated under Section 304 as extremely hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication Standard and is regulated under Section 311-312 (40 CFR 370).
SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:  • None
TSCA Section 8(b): Inventory:	This product does not contain chemicals listed on the TSCA inventory or otherwise complies with TSCA pre-manufacture notification requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

#### Section 16 – Other Information

#### **Hazard Rating System (Pictograms)**



Prepared By:	Gavin Gabai
Revision History:	12/31/2014 Revision A

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable.

Cargus International, Inc. components are provided on an as is basis without warranties of any kind either expressed or implied. Cargus International Inc. does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Cargus International, Inc. components.

Document: SDS-016 Date of Issue: 12/31/2014