

Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

### 1 Identification

- · Product identifier
- Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S³ BOND PLUS)

  CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S³ BOND PLUS Unit Dose)
- · Article number: US154-172
- · Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Dental bonding material
- · Details of the supplier of the safety data sheet
- · Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

### · Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

**Emergency telephone number:** 

For chemical emergency spill, leak, fire, exposure or accident

Call CHEMTREC day and night

Within USA and Canada: 1-800-424-9300 CCN706984 or

+1 703-527-3887 (collect calls accepted)

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS07, GHS08
- Signal word Danger
- Hazard-determining components of labeling:

2-hydroxyethyl methacrylate

ethanol

· Hazard statements

H226 Flammable liquid and vapor.

(Contd. on page 2)



Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S<sup>3</sup> BOND PLUS)

CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S3 BOND PLUS Unit Dose)

(Contd. of page 1)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

#### **Precautionary statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves / eye protection / face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/

shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances None
- · Chemical characterization: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
1565-94-2	0 - 0 p 0 - 0 - 1 0 - 0 p - 1 0 - 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p 0 p	15-35%	
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319		
868-77-9	2-hydroxyethyl methacrylate	10-35%	
	\$\ightarrow\$ Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317		
64-17-5	ethanol	<20%	
	♦ Flam. Liq. 2, H225; ♦ Carc. 1A, H350		

#### Other ingredients:

Sodium fluoride

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophilic aliphatic dimethacrylate

Colloidal silica

dl-Camphorquinone

Initiators

Accelerators

Water

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S<sup>3</sup> BOND PLUS)

CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S3 BOND PLUS Unit Dose)

(Contd. of page 2)

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

### **6 Accidental release measures**

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** 

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8 °C).
- Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

Further information about storage conditions:

Protect from heat and direct sunlight.

(Contd. on page 4)



Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S<sup>3</sup> BOND PLUS)

CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S3 BOND PLUS Unit Dose)

(Contd. of page 3)

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

64-17-5 ethanol	
-----------------	--

	1900 mg/m³, 1000 ppm
REL	1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

#### **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)



Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S3 BOND PLUS)

CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S3 BOND PLUS Unit Dose)

(Contd. of page 4)

#### · Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

Information on basic p	vsical and	chemical	properties
------------------------	------------	----------	------------

· General Information

· Appearance:

Form: Liquid
Color: Yellow
Odor: Alcohol-like

· pH-value: 2.3

· Change in condition

**Melting point/Melting range:** -114.5 °C (ethanol)

**Boiling point/Boiling range:** 78 °C

· Flash point: 13 °C

· Flammability (solid, gaseous): Not determined.

· Ignition temperature: 425 °C

• **Decomposition temperature:** Not determined

• **Danger of explosion:** Product is not explosive. However, formation of explosive air/

vapor mixtures are possible.

· Explosion limits:

Lower: 3.5 Vol %
Upper: 15.0 Vol %
Oxidizing properties Not determined

Vapor pressure: 59 hPa (20 °C)

• **Density:**  $1.1 \text{ g/cm}^3$ 

• Relative density Not determined

• Vapor density 1.6 g/cm³ (ethanol, air=1)

Evaporation rate Not determined

· Solubility in / Miscibility with

Water: Partly miscible.

· Partition coefficient (n-octanol/water): -0.32 (ethanol)

Viscosity: Not determined

**Other information** No further relevant information available.

## 10 Stability and reactivity

- Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 6)



Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S<sup>3</sup> BOND PLUS)

CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S3 BOND PLUS Unit Dose)

(Contd. of page 5)

- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:				
868-77-9 2-hydroxyethyl methacrylate				
Oral	LD50	4680 mg/kg (guinea pig)		
		3275 mg/kg (mouse)		
		5050 mg/kg (rat)		
64-17-5 et	64-17-5 ethanol			
Oral	LD50	3450 mg/kg (mouse)		
		7060 mg/kg (rat)		
Inhalative	LC50/4 h	20000 mg/l (rat)		
	LD50	3600 mg/kg (rat - intraperioneal)		

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eve: Irritating effect.
- Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)



Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S<sup>3</sup> BOND PLUS)

CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S3 BOND PLUS Unit Dose)

(Contd. of page 6)

· Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

4 4 F			4 .	r e	4.0
4	Iran	nor	tın	forma	tion
	T I GIL	DOL	и ши	отша	LIUII

· UI	N-Nun	nber
------	-------	------

· DOT, ADR, IMDG, IATA UN1170

#### · UN proper shipping name

· **DOT, IATA** ETHANOL

· **ADR** 1170 ETHANOL (ETHYL ALCOHOL) · **IMDG** ETHANOL (ETHYL ALCOHOL)

### · Transport hazard class(es)

· DOT



· Class 3 Flammable liquids

· Label

· ADR, IMDG, IATA



· Class 3 Flammable liquids

· Label 3

· Packing group

· DOT, ADR, IMDG, IATA

· Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

Danger code (Kemler):EMS Number:F-E,S-D

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": UN1170, ETHANOL (ETHYL ALCOHOL), 3, II



Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S3 BOND PLUS)

CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S3 BOND PLUS Unit Dose)

(Contd. of page 7)

## 15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

64-17-5 ethanol

64-17-5 ethanol

- · Cancerogenity categories
- EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapor.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H350 May cause cancer.

· NFPA ratings (scale 0 - 4)



Health = 1Fire = 3Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 1 Fire = 3

(Contd. on page 9)



Printing date 08/09/2017 Version 4 Reviewed on 07/31/2017

Trade name: CLEARFIL TRI-S BOND PLUS (CLEARFIL S<sup>3</sup> BOND PLUS)

CLEARFIL TRI-S BOND PLUS Unit Dose (CLEARFIL S3 BOND PLUS Unit Dose)

(Contd. of page 8)

· Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation – Category 1 Carc. 1A: Carcinogenicity – Category 1A

\* Data compared to the previous version altered.

HS.