SECTION 1: Identification of the subst	ance/mixture and of the com	pany/undertaking	
1.1. Product identifier		<b>D</b> :	
	0.12% Chlorhexidine Gluconate Oral		
1.2. Relevant identified uses of the substant		ainst	
Use of the substance/mixture :	Pharmaceutical Agent		
1.3. Details of the supplier of the safety dat	ta sheet		
Xttrium Laboratories, Inc. 1200 East Business Center Drive Mt. Prospect, IL 60056			
1.4. Emergency telephone number			
Emergency number :	773-268-5800		
SECTION 2: Hazards identification			
2.1. Classification of the substance or mixed	ture		
Classification (GHS-US)			
Carc. 1A H350			
2.2. Label elements			
GHS-US labeling Hazard pictograms (GHS-US) :			
	GHS08		
Signal word (GHS-US) :			
Hazard statements (GHS-US) :	H350 - May cause cancer		
Precautionary statements (GHS-US) :	US) : P201 - Obtain special instructions before use P202 - Do not handle until all safety precautions have been read and understood P280 - Wear protective gloves/protective clothing/eye protection/face protection P308 + P313 - If exposed or concerned: Get medical advice/attention P405 - Store locked up P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.		
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS-US)			
No data available			
SECTION 3: Composition/information	on ingredients		
3.1. Substance			
Not applicable			
3.2. Mixture			
Name	Product identifier	%	Classification (GHS-US)
Water	(CAS No) 7732-18-5	Trade Secret	Not classified
Ethyl alcohol	(CAS No) 64-17-5	Trade Secret	Flam. Liq. 2, H225 Carc. 1A, H350
	(2121) 50 04 5	Trade Secret	Not classified
Glycerin	(CAS No) 56-81-5	Trade Decret	NOUCIASSINEU
Chlorhexidine digluconate	(CAS No) 18472-51-0	Trade Secret	Acute Tox. 4 (Oral), H302
•	, ,		
Chlorhexidine digluconate Sorbitan, isooctadecanoate, poly(oxy-1,2-ethanediyl)	(CAS No) 18472-51-0	Trade Secret	Acute Tox. 4 (Oral), H302

SECTION 4: First aid measures	
I.1. Description of first aid measures	
First-aid measures after inhalation	: No specific first aid necessary for this route of exposure.
irst-aid measures after skin contact	: Wash with soap and water. Seek medical advice if skin irritation develops or persists.
ïrst-aid measures after eye contact	: Immediately flush eyes with plenty of water for at least 15 minutes. If irritation persists get medical attention.
irst-aid measures after ingestion	: Seek medical attention.
.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: None under normal use.
Symptoms/injuries after eye contact	: May produce transient eye irritation.
Symptoms/injuries after ingestion	: Ingestion of large amounts may produce signs of alcohol intoxication.
.3. Indication of any immediate med	lical attention and special treatment needed
lo additional information available	
SECTION 5: Firefighting measures	S
5.1. Extinguishing media	
Suitable extinguishing media	: Use water spray, dry chemical, alcohol foam or CO <sub>2</sub>
Insuitable extinguishing media	: None.
.2. Special hazards arising from the	substance or mixture
ire hazard	: None known.
	: None known.
xplosion hazard	
•	
.3. Advice for firefighters	
.3. Advice for firefighters	: Firefighters should wear full protective gear.
Advice for firefighters     Advice for firefighters     Protection during firefighting     SECTION 6: Accidental release me	: Firefighters should wear full protective gear. easures
Advice for firefighters     Advice for firefighters     Protection during firefighting     SECTION 6: Accidental release me	: Firefighters should wear full protective gear.
Advice for firefighters     Advice for firefighters     Protection during firefighting     ECTION 6: Accidental release me     Accidental release me     Accidental precautions, protective	: Firefighters should wear full protective gear. easures
Protection during firefighting SECTION 6: Accidental release models.1. Personal precautions, protective	: Firefighters should wear full protective gear. easures
Advice for firefighters     Advice for firefighters     Protection during firefighting     ECTION 6: Accidental release model     Personal precautions, protective     Al. For non-emergency personnel     lo additional information available	: Firefighters should wear full protective gear. easures
Advice for firefighters     Advice for firefighters     Protection during firefighting     ECTION 6: Accidental release me     Accidental relea	: Firefighters should wear full protective gear. easures
Advice for firefighters Protection during firefighting     SECTION 6: Accidental release magnetic fields     Accidental release ma	: Firefighters should wear full protective gear. easures
Advice for firefighters     Advice for firefighters     Protection during firefighting     SECTION 6: Accidental release me     Accidental rele	: Firefighters should wear full protective gear. easures
Advice for firefighters     Advice for firefighters     Protection during firefighting     SECTION 6: Accidental release me     Accidental rele	: Firefighters should wear full protective gear. easures
Advice for firefighters     Protection during firefighting     SECTION 6: Accidental release magnetic fields	: Firefighters should wear full protective gear. easures equipment and emergency procedures
Advice for firefighters     Protection during firefighting     SECTION 6: Accidental release mails     Accidental release mails     Personal precautions, protective     A.1. For non-emergency personnel     Accidental information available     Accidental information available     Accidental precautions     Accidental release to the environment.     Accidental for contain	: Firefighters should wear full protective gear. easures equipment and emergency procedures
Advice for firefighters     Advice for firefighters     Protection during firefighting     ECTION 6: Accidental release m     Accidental rele	: Firefighters should wear full protective gear. easures equipment and emergency procedures
Advice for firefighters     Advice for firefighters     Protection during firefighting     ECTION 6: Accidental release magnetic     Accidental release m	<ul> <li>Firefighters should wear full protective gear.</li> <li>equipment and emergency procedures</li> <li>equipment and cleaning up</li> <li>Stop the flow of material, if this is without risk.</li> <li>Dilute with water. Keep away from ignition sources. Perform waste disposal in compliance with</li> </ul>
Advice for firefighters     Advice for firefighters     Protection during firefighting     ECTION 6: Accidental release mails	<ul> <li>Firefighters should wear full protective gear.</li> <li>equipment and emergency procedures</li> <li>equipment and cleaning up</li> <li>Stop the flow of material, if this is without risk.</li> <li>Dilute with water. Keep away from ignition sources. Perform waste disposal in compliance with</li> </ul>
<ul> <li>Advice for firefighters rotection during firefighting</li> <li>ECTION 6: Accidental release maintenance of the second s</li></ul>	<ul> <li>Firefighters should wear full protective gear.</li> <li>equipment and emergency procedures</li> <li>mment and cleaning up <ol> <li>Stop the flow of material, if this is without risk.</li> <li>Dilute with water. Keep away from ignition sources. Perform waste disposal in compliance with all applicable regulations. Flush down sewer with large quantities of water.</li> </ol></li></ul>
<ul> <li>Advice for firefighters rotection during firefighting</li> <li>ECTION 6: Accidental release magnetic sectors <ol> <li>Personal precautions, protective</li> <li>Personal precautions, protective</li> </ol> </li> <li>For non-emergency personnel <ol> <li>additional information available</li> <li>For emergency responders</li> <li>additional information available</li> </ol> </li> <li>Environmental precautions <ol> <li>woid release to the environment.</li> </ol> </li> <li>Methods and material for contair or containment lethods for cleaning up </li> <li>Reference to other sections lo additional information available </li> </ul>	<ul> <li>Firefighters should wear full protective gear.</li> <li>equipment and emergency procedures</li> <li>mment and cleaning up <ol> <li>Stop the flow of material, if this is without risk.</li> <li>Dilute with water. Keep away from ignition sources. Perform waste disposal in compliance with all applicable regulations. Flush down sewer with large quantities of water.</li> </ol></li></ul>
<ul> <li>Advice for firefighters</li> <li>a. Advice for firefighters</li> <li>brotection during firefighting</li> <li><b>ECTION 6: Accidental release mails</b></li> <li><b>ECTION 6: Accidental release mails</b></li> <li><b>SECTION 6: Accidental release mails</b></li> <li><b>Accidental release mails</b></li></ul>	<ul> <li>Firefighters should wear full protective gear.</li> <li>equipment and emergency procedures</li> <li>mment and cleaning up <ol> <li>Stop the flow of material, if this is without risk.</li> <li>Dilute with water. Keep away from ignition sources. Perform waste disposal in compliance with all applicable regulations. Flush down sewer with large quantities of water.</li> </ol></li></ul>
Advice for firefighters     Protection during firefighting     SECTION 6: Accidental release mails     Personal precautions, protective     A.1. Personal precautions, protective     A.1. For non-emergency personnel     Ao additional information available     A.2. For emergency responders     Ao additional information available     A.2. Environmental precautions     Notice to the environment.     A Methods and material for contain     For containment     Methods for cleaning up     A. Reference to other sections     Ao additional information available     SECTION 7: Handling and storage     A. Precautions for safe handling     Precautions for safe handling	<ul> <li>Firefighters should wear full protective gear.</li> <li>Casures</li> <li>equipment and emergency procedures</li> <li>equipment and cleaning up</li> <li>Stop the flow of material, if this is without risk.</li> <li>Dilute with water. Keep away from ignition sources. Perform waste disposal in compliance with all applicable regulations. Flush down sewer with large quantities of water.</li> <li>e</li> <li>Avoid contact with eyes. Wash thoroughly after handling.</li> </ul>
Advice for firefighters     Advice for firefighters     Protection during firefighting     SECTION 6: Accidental release magnetic sectors     Accidental information available     Accidental release magnetic sectors     Accidental release magnetic sectors     Accidental release magnetic sectors     Accidental release magnetic sectors     Accidental information available     BECTION 7: Handling and storage     Alignetic sectors     Accidental release for safe handling     Precautions for safe handling	<ul> <li>Firefighters should wear full protective gear.</li> <li>Casures</li> <li>equipment and emergency procedures</li> <li>equipment and cleaning up</li> <li>Stop the flow of material, if this is without risk.</li> <li>Dilute with water. Keep away from ignition sources. Perform waste disposal in compliance with all applicable regulations. Flush down sewer with large quantities of water.</li> <li>e</li> <li>Avoid contact with eyes. Wash thoroughly after handling.</li> </ul>

Safety Data Sheet

SECTION 8: Exposure controls/personal protection				
8.1. Control parameters				
Ethyl alcohol (64-17-5)				
USA ACGIH	ACGIH STEL (ppm)	1000 ppm		
USA OSHA	OSHA PEL (TWA) (mg/m <sup>3</sup> )	1900 mg/m <sup>3</sup>		
USA OSHA	OSHA PEL (TWA) (ppm)	1000 ppm		
Glycerin (56-81-5)				
USA OSHA	OSHA PEL (TWA) (mg/m³)	5 mg/m³		
8.2. Exposure controls		·		
Appropriate engineering controls : None required under normal product handling conditions.				
Hand protection	: None required under normal product handling conditions.			
Eye protection	: None required under normal product handling conditions.			
Skin and body protection	: Wear suitable working clothes.			
Respiratory protection	spiratory protection : None required under normal product handling conditions.			
SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Color	: Clear Blue			
Odor	dor : Minty			

00101	. Olcal Dide
Odor	: Minty
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: >200 °F
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: 721 mm Hg
Relative vapor density at 20 °C	: No data available
Specific gravity	: 1.0
Solubility	: Water:
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Explosive limits	: No data available

#### 9.2. Other information

No additional information available

### **SECTION 10: Stability and reactivity**

10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions				
Will not occur.				
10.4. Conditions to avoid				
Protect from light, avoid acidic conditions, and ave	bid prolonged exposure to elevated temperatures. Maintain at or below 77°F and above 32°F.			
10.5. Incompatible materials				
None.				
10.6. Hazardous decomposition products				
Not determined.				
SECTION 11: Toxicological informati	on			
11.1. Information on toxicological effects				
, and the second s				
Acute toxicity	: Not classified			
Ethyl alcohol (64-17-5)				
LC50 inhalation rat (mg/l)	124.7 mg/l/4h			
ATE US (oral)	7060.0000000 mg/kg			
Glycerin (56-81-5)				
LD50 dermal rabbit	> 10 g/kg			
LC50 inhalation rat (mg/l)	> 570 mg/m <sup>3</sup> (Exposure time: 1 h)			
ATE US (oral)	12600.0000000 mg/kg			
Chlorhexidine digluconate (18472-51-0)				
ATE US (oral)	500.0000000 mg/kg			
Skin corrosion/irritation	: Not classified			
Serious eye damage/irritation	: Not classified			
Respiratory or skin sensitization	: Not classified			
Germ cell mutagenicity	: Not classified			
Carcinogenicity	: May cause cancer.			
Ethyl alcohol (64-17-5)				
IARC group	1 - Carcinogenic to humans			
Sodium saccharin (128-44-9)				
IARC group	3 - Not classifiable			
C.I. Acid Blue 9, disodium salt (3844-45-9)				
IARC group	3 - Not classifiable			
Reproductive toxicity	: Not classified			
Specific target organ toxicity (single exposure)	: Not classified			
Specific target organ toxicity (repeated exposure)	: Not classified			
Aspiration hazard	: Not classified			
SECTION 12: Ecological information				
12.1. Toxicity				
Ethyl alcohol (64-17-5)				
LC50 fish 1	12.0 - 16.0 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])			
EC50 Daphnia 1	9268 - 14221 mg/l (Exposure time: 48 h - Species: Daphnia magna)			
LC50 fish 2	> 100 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])			
EC50 Daphnia 2	2 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])			
Glycerin (56-81-5)				
LC50 fish 1	51 - 57 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])			
05/10/2011				

Sodium saccharin (128-44	-9)				
LC50 fish 1	-,	16400 - 2	20400 mg/l (Exposure time: 96	h - Species: Pimephales promela	s [static])
12.2. Persistence and d	egradability				
No additional information ava					
12.3. Bioaccumulative potential					
Ethyl alcohol (64-17-5) Log Pow		-0.32			
-		-0.52			
Glycerin (56-81-5) BCF fish 1		(no biog	ccumulation)		
Log Pow		-1.76			
-	0)				
Sodium saccharin (128-44 Log Pow	-9)	0.91			
		0.01			
12.4. Mobility in soil No additional information ava	ilable				
	liable				
12.5. Other adverse effe					
Effect on ozone layer	:	No addit	ional information available		
Effect on the global warming	:	No know	n ecological damage caused b	y this product.	
SECTION 13: Disposa					
13.1. Waste treatment n		Dianaaa	of contents/container in conord	ana with local/regional/actional/	internetional regulations
Naste disposal recommenda	uons	Dispose	or contents/container in accord	ance with local/regional/national/	international regulations.
SECTION 14: Transpo	rt information				
n accordance with DOT					
Not a dangerous good as def	ined in transport regu	lations			
SECTION 15: Regulate	ory information				
15.1. US Federal regulation	S				
Glycerin (56-81-5)					
Listed on the United States					
EPA TSCA Regulatory Flag		Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria			
		for the exemption rule.			
15.2. US State regulations					
Ethyl alcohol (64-17-5)					
U.S California -	U.S California -		U.S California -	U.S California -	No significance risk level
Proposition 65 - Carcinogens List	Proposition 65 - Developmental Tox	ricity	Proposition 65 - Reproductive Toxicity -	Proposition 65 - Reproductive Toxicity - Male	(NSRL)
			Female		
Yes	Yes				
Ethyl alcohol (64-17-5)					
U.S Massachusetts - Right	To Know List				
U.S Minnesota - Hazardous	s Substance List				
U.S New Jersey - Right to Know Hazardous Substance List U.S Pennsylvania - RTK (Right to Know) List					
Glycerin (56-81-5)	<b>T</b> 1/2 11 1				
U.S Massachusetts - Right U.S Minnesota - Hazardous					
J.S New Jersey - Right to H J.S Pennsylvania - RTK (R		stance Lis	t		

Safety Data Sheet

Sodium saccharin (128-44-9)	
U.S Massachusetts - Right To Know List U.S Pennsylvania - RTK (Right to Know) List	
C.I. Acid Blue 9, disodium salt (3844-45-9)	
U.S Massachusetts - Right To Know List	

### **SECTION 16: Other information**

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Carc. 1A	Carcinogenicity Category 1A
Flam. Liq. 2	Flammable liquids Category 2
H225	Highly flammable liquid and vapor
H302	Harmful if swallowed
H350	May cause cancer

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product