



Safety Data Sheet(Classification according to Directive 790/2009/EC)Date of issue: 07.11.13Replaces version of : 30.05.2010Rev. 2

ProGlass Nine – Liquid

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: Silmet Ltd. Address: 12 Hassadna St. Industrial Zone, Or Yehuda 60200 Israel Telephone: +972 3 5331474

Common name: ProGlass Nine – Liquid Chemical name: N.A

Product use:

Intended Use:	Dental product
Limitations on use:	For use by dental professionals
Specific Use:	Dental filling material – liquid component

The information below is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system.

SECTION 2: INGREDIENTS

	Component C.A		C.A.S	Exposure limits		LD50/L	LD50/LC50		%		
	Polyacrylic acid		(9003-01-4 TWA =		= 10ppm	LD50=2500mg/kg			30-40	
					(ACGI	H)	(oral rat))			
							LC50=N	I.E			
	Tartaric acid		5	87-69-4	N.E		N.E.	N.E.		5-10	
	Distilled water		,	7732-18-5 N.E			N.E	N.E		50	
SECT	ION 3: HAZARDS ID	ENTIFICA	TION								
		Yes	No	NE	NA	NTP	IARC	OSHA	Oth	ner]
Muta	genic affects		Х]
Terat	togenic affects		Х								
Repr	oductive toxin		Х								
Carc	inogenicity		Х								
Sensi	tizer		Х								
Routes of entry: Inhalation X Skin X Ingestion Health hazard(acute & chronic): Acidic solution (pH=1.90), care should be taken to avoid contact with skin or eyes.											
SECTION 4: FIRST AID MEASURES											
After skin contact: Immediately wash with water and soap and rinse thoroughly.											
After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, seek medical assistance											
After swallowing: If symptoms persist, seek medical assistance											
SECTION 5: FIRE FIGHTING MEASURES											
Flash point Not flammable				Hazardous combustion products: Emits acrid							
Flammable Limits N.A				smoke when heated beyond boiling point.							
Extinguishing media: Alcohol foam				Special Fire Fighting Procedures: Full protective							
Unusual fire & Exposure hazards None				clothing a	nd self contair	ned breathing a	.pparatu	18.			
SECT	ION 6: ACCIDENTAL	RELEAS	E MEA	SURES							





Safety Data Sheet

Г

Silmet GICs - ProGlass Nine(Classification according to Directive 790/2009/EC)Date of issue: 07.11.13Replaces version of : 30.05.2010Rev. 2

In case of release or spill: Absorb with liquid binding material (sand, diatomite, acid binders, universal binders, sawdust).
Ensure adequate ventilation
Do not allow to enter sewers/ surface or ground water
Storage, handling and special precautions: Store in a cool dry place in tightly closed container. SECTION 7: HANDLING AND STORAGE
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
Store in a cool dry place in tightly closed container. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION
8.1 Engineering controls
Use in a well-ventilated area.
8.2 Personal Protective Equipment (PPE)
Eye/Face Protection
Avoid eye contact.
The following eye protection(s) are recommended: Safety Glasses with side shields.
Prevention of Swallowing
Do not ingest. Wash hands after handling and before eating
General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes and skin.
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES
Appearance & odour Colorless, slightly viscous and odorless liquid
Specific gravity ($H_2O=1$) 1.18
Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Undetermined.
Flash point: Not applicable.
Self-igniting: Product is not self igniting.
Danger of explosion: Product does not present an explosion hazard.
Density: Not determined
SECTION 10: STABILITY AND REACTIVITY
Stability : X Stable Unstable
Polymerization: X Will Not Occur Will Occur
Conditions to avoid: High heat
Incomatibility (Materials to Avoid): Alkali will inactivate product
Hazardous decomposition or by-products: N.E.
SECTION 11: TOXILOGICAL INFORMATION
Please contact the address listed on the 1 st page of the MSDS for the Toxilogical information on this material and/or its
components
SECTION 12: ECOLOGICAL INFORMATION
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage
system.
SECTION 13: DISPOSAL CONSIDERATIONS



Safety Data Sheet



Silmet GICs - ProGlass Nine(Classification according to Directive 790/2009/EC)Date of issue: 07.11.13Replaces version of : 30.05.2010Rev. 2

Do not dispose together with household garbage. Do not allow product to reach sewage system.

Recommendation: Consult applicable regulations or authorities before disposal. SECTION 14: TRANSPORTATION INFORMATION

Please contact the number listed on the 1st page of this MSDS for Transport Information of this material

SECTION 15: REGULATORY INFORMATION

This product is classified as a medical device under US and EU regulations. The product has been marked in accordance with EU Directives and has been reviewed by the US Food and Drug Administration. **US FEDERAL REGULATIONS**

311/312 Hazard Categories:

Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No

CHEMICAL INVENTORIES

Commercial use of this material is regulated by the FDA

This MSDS has been prepared to meet the U.S. OSHA Hazard Communication Standard, 29 CFR 1910.1200.

29 CFR 1910.1200.

SECTION 16: OTHER INFORMATION

CAUTION: PRODUCT FOR PROFESSIONAL USE

The information on this safety sheet is based on presently available data and to our best knowledge for the correct handling of the product under normal conditions. Any use of this product in any way not indicated on this sheet or use of this product together with any other process/procedure will be exclusively under the user's responsibility.





Safety Data Sheet(Classification according to Directive 790/2009/EC)Date of issue: 07.11.13Replaces version of : 30.05.2010Rev. 2

ProGlass Nine – Powder

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Manufacturer: Silmet Ltd. Address: 12 Hassadna St. Industrial Zone, Or Yehuda 60200 Israel Telephone: + 972 3 5331474

Common name: ProGlass Nine – Powder Chemical name: N.A

Product use:

Intended Use:Dental productLimitations on use:For use by dental professionalsSpecific Use:Dental l filing material – powder component

The information below is provided with regard to the toxicity and hazards of the pure components present in this portion of the unmixed powder/liquid system. SECTION 2: INGREDIENTS

Component	C.A.S	Exposure limits	LD50/LC50	%
Alumino-silicate glass	Not listed	$TLV = 10 mg/m^3$ $PEL = 15 mg/m^3$ $(ACGIH)$	N.E N.E	90 - 100
Polyacrylic acid	9003-01-4	TWA = 10ppm (ACGIH)	LD50=2500mg /kg (oral rat) LC50 = N.E.	5-10

	Yes	No	NE	NA	NTP	IARC	OSHA	Other
Mutagenic affects		Х						
Teratogenic affects		Х						
Reproductive toxin		Х						
Carcinogenicity		Х						
Sensitizer		Х						





Safety Data Sheet	73485:£° 5001:£° 061					
Silmet GICs – ProGlass Nine (Classification according to Di						
Date of issue: 07.11.13Replaces version of : 30.05.2010	Rev. 2					
Routes of entry: X Inhalation X Skin X In	gestion					
Health hazard(acute & chronic): Contains silica glass which is considere	Health hazard(acute & chronic): Contains silica glass which is considered a hazard by inhalation. IARC has classified it as a					
probable carcinogenic for humans. Dusts of silica glass is also a known cau						
Signs & symptoms of overexposure: Irritation and soreness in throat and						
Conditions generally aggravated by exposure: May aggravate preexistin	g upper respiratory and lung disease.					
Emergency first aid procedures:						
Inhalation: Remove to fresh air, drink water to clear throat and blow						
<i>Ingestion:</i> Do not induce vomiting – give large volumes of water. See						
<i>Skin:</i> Wash with soap and water. If irritation develops seek medical a						
<i>Eyes:</i> Flush with water for 15 minutes . If irritation develops or persi	sts seek medical attention.					
SECTION 4: FIRST AID MEASURES						
After skin contact: Immediately wash with water and soap and rinse thorough	ıghly.					
After eye contact: Rinse opened eye for several minutes under running wat						
After swallowing: If symptoms persist, seek medical assistance						
SECTION 5: FIRE FIGHTING MEASURES						
Flash point Not flammable	Hazardous combustion products: Emits acrid					
Flammable Limits N.A	smoke when heated beyond boiling point.					
Extinguishing media: Alcohol foam	Special Fire Fighting Procedures: Full protective					
Unusual fire & Exposure hazards None	clothing and self contained breathing apparatus.					
SECTION 6: ACCIDENTAL RELEASE MEASURES						
In case of release or spill: Absorb with liquid binding material (sand, diator	nite, acid binders, universal binders, sawdust).					
Ensure adequate ventilation						
Do not allow to enter sewers/ surface or ground water	lat strand care					
Storage, handling and special precautions: Store in a cool dry place in tig	ntly closed container.					
SECTION 7: HANDLING AND STORAGE Ensure good ventilation/exhaustion at the workplace.						
Prevent formation of aerosols.						
Store in a cool dry place in tightly closed container.						
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION						
8.1 Engineering controls						
Use in a well-ventilated area.						
8.2 Personal Protective Equipment (PPE)						
Eye/Face Protection						
Avoid eye contact.						
The following eye protection(s) are recommended: Safety Glasses with side shields. Prevention of Swallowing						
Do not ingest. Wash hands after handling and before eating						
General protective and hygienic measures:						
Keep away from foodstuffs, beverages and feed.						
Immediately remove all soiled and contaminated clothing						
Wash hands before breaks and at the end of work.						
Avoid contact with the eyes and skin.						
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES						

Page 5 of 6





Safety Data Sheet

Silmet GICs – ProGlass Nine	(Classification according to Directiv	e 790/2009/EC)
Data of issues 07 11 13	Poplaces version of + 30.05 2010	Dox 2

Silmet GICs – ProGlass Nine (Classification according to Di Date of issue: 07.11.13 Replaces version of : 30.05.2010	rective 790/2009/EC) Rev. 2				
Boiling Point N.E	Specific gravity $(H_2O=1)$ 2.56				
Vapour pressure N.A	Melting point 1,350°C				
Vapour density N.A	Evaporation rate N.A				
Solubility in water Insoluble	Odor threshold N.E				
Appearance & odour Very fine white powder	Coefficient of oil/water distribution N.E				
10: STABILITY AND REACTIVITY					
Stability : X Stable Unstable					
Polymerization: X Will Not Occur Will Occur					
Conditions to avoid: High heat					
Incompatibility (Materials to Avoid): Alkali will inactivate product.					
Hazardous decomposition or by-products: N.E.					
SECTION 11: TOXILOGICAL INFORMATION					
Please contact the address listed on the 1 st page of the MSDS for the Toxilog	ical information on this material and/or its				
components	ical information on this material and/or its				
- -					
SECTION 12: ECOLOGICAL INFORMATION					
Do not allow undiluted product or large quantities of it to reach ground wate	r, water course or sewage				
system.					
SECTION 13: DISPOSAL CONSIDERATIONS	1				
Do not dispose together with household garbage. Do not allow product to rea					
Recommendation: Consult applicable regulations or authorities before dispo SECTION 14: TRANSPORTATION INFORMATION	sal.				
	Information of this material				
Please contact the number listed on the 1 st page of this MSDS for Transport Information of this material SECTION 15: REGULATORY INFORMATION					
This product is classified as a medical device under US and EU regulations. EU Directives and has been reviewed by the US Food and Drug Administrat US FEDERAL REGULATIONS					
311/312 Hazard Categories:					
Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No Immediate Hazard - Yes Delayed Hazard - No					
CHEMICAL INVENTORIES					
Commercial use of this material is regulated by the FDA					
This MSDS has been prepared to meet the U.S. OSHA Hazard Commun 29 CFR 1910.1200.	nication Standard,				
SECTION 16: OTHER INFORMATION					
CAUTION: PRODUCT FOR PROFESSIONAL USE					
The information on this safety sheet is based on presently available data an	nd to our best knowledge for the correct handling of				

the product under normal conditions. Any use of this product in any way not indicated on this sheet or use of this product together with any other process/procedure will be exclusively under the user's responsibility.