# DisCide® Ultra Disinfecting Spray

MSDS#

## MATERIAL SAFETY DATA SHEET

Identity: DisCide® Ultra Disinfecting Spray

Manufactured for: Palmero Health Care

120 Goodwin Place

EPA#: 10492-5 Code #: 3564, 3565Q, 3565G, 3566

Stratford, CT 06497

Fax (203) 3770-8988

Emergency Call: 800-255-3924 Information Call: 203-377-6424

Date Prepared: 9/8/98 Prepared By: RP

#### COMPOSITION/INFORMATION ON INGREDIENTS

**INGREDIENTS** 

PEL

STEL

Isopropyl alcohol

400ppm 500ppm

63.25%

<1%

%

Quaternary Ammonium Compound

Not Applicable

### PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point:

180 F

Specific Gravity (H,0=1):

0.7865

Vapor Pressure (mm Hg.):

33mm Hg at 20 C

**Melting Point:** 

Vapor Density (AIR=1):

Evaporation Rate (Butyl Acetate = 1): 2.83

Solubility in Water:

>10% in water

Appearance and Odor:

Clear and alcohol with herbal scent

#### FIRE and EXPLOSION HAZARD DATA

Flash Point:

81° F closed cup mixture

Flammable Limits, air volume %

Lower Level: 2.0

Upper Level: 12.0

Extinguishing Media:

Dry Chemical or alcohol type foam.

Waterspray may be ineffective.

Use waterspray to cool fire-

Special Fire Fighting Procedures:

exposed surfaces and to protect personnel.

Unusual Fire and Explosion Hazards: WARNING! This product is flammable. Respiratory protection required for fire fighting personnel. Stay

upwind if possible. Cool exposed tanks with water.

#### REACTIVITY DATA

STABILITY

Unstable:

Stable: X

Incompatibility (Materials and Conditions to Avoid): Danger when exposed to heat, flame or oxidizers.

Hazardous Decomposition or Byproducts: Toxic gases and vapors may be released in a fire involving isopropyl alcohol.

Hazardous Polymerization

May Occur: X Will not Occur:

NFPA:

Health = 1

Flammability = 3 Reactivity = 0

HEALTH HAZARD DATA

CARCINOGENICITY:

NTP: None

IARC: Not classifiable, inadequate for humans

**HEALTH HAZARDS** 

Acute:

Vapor irritates eyes, nose and throat. Liquid will temporarily

damage eye tissue.

Chronic: Prolonged and/or repeated skin contact may be irritating.

EFFECTS OF OVER EXPOSURE: Mild irritation of the eyes, nose and throat. Drowsiness, headache and incoordination may also occur. Swallowing isopropyl alcohol may cause drowsiness, unconsciousness and death.

#### **EMERGENCY AND FIRST AID PROCEDURES**

Inhalation:

Expose to fresh air

Eyes:

Flush with water for 15 min. and call physician

Skin:

Flush with water

Ingestion:

Medical attention

Keep individual calm and call physician.

If breathing has stopped give CPR and call physician.

## PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled: Remove all ignition sources. Ventilate area of spill or leak. Absorb & evaporate in a safe place. Prevent from entering sewers, water courses or low areas.

Waste Disposal Method: Absorb in vermiculite, dry sand, earth or similar material and dispose in a secured sanitary landfill, or atomize in a suitable combustion chamber.

Precautions to Be Taken in Handling and Storing: Keep closed, do not handle or store near flame, heat or strong oxidants. Adequate ventilation required.

Other Precautions: All handling equipment should be electrically grounded.

RESPIRATORY PROTECTION: Use approved respiratory protection such as air-supplied mask if used in an enclosed space.

VENTILATION

Local Exhaust: Face Velocity>60fpm in confined space

Special: Mechanical:

Explosion-proof ventilation equipment

Other:

No smoking or open lights

Protective Gloves: Chemically resistant

Eye Protection:

Chemical splash goggles or face shield

Other Protective Clothing or Equipment:

Not usually needed.

Work/Hygienic Practices:

N/A