

# ParaPost® System

A complete range of posts for direct and indirect indications



# Story

### **The Post Experts**

In 1962, Coltene/Whaledent introduced ParaPost, the first standardized post system.

ParaPost became a huge international success and today is the most widely used post in dentistry. Since its introduction, Coltene/Whaledent has been continuously improving the design and manufacture of post systems.


The ParaPost system offers a versatile range of fiber posts, metal posts and prefabricated casting post components for any clinical situation. Years of clinical data and studies attest to the safety, effectiveness and versatility of the ParaPost System.

- > Global market leader in post systems
- > Proven clinical success with > 500 studies
- > More than 55 years of expertise
- > One-office-visit and laboratory techniques
- > Endo meets Resto complete system with core-build-ups and cements



55 years of confidence


# ParaPost® – The System At A Glance



Direct One-Office-Visit Technique			Direct One-Office-Visit Technique			Casting Technique	
	Taper Lux	Fiber Lux	Fiber White	XP (Post)	XH (Head)	XT (Thread)	XP Casting Technique
Indication	Ideal for narrow canals and metal-free, high aesthetic restorations	Ideal for metal-free and high aesthetic restorations	Ideal for metal-free and aesthetic restorations, masks discolored roots	Ideal for the treatment of slim or multi-rooted teeth	Ideal for for easy core build-up application	Ideal where very high mechanical grip is required	Ideal for a very sturdy, one-piece cast post/core and choice of alloy
Material	Translucent Fiber-Resinmatrix	Translucent Fiber-Resinmatrix	Opaque Fiber-Resinmatrix	Titanium Alloy Ti6AL4V or stainless steel	Titanium Alloy Ti6AL4V	Titanium Alloy Ti6AL4V	Individual alloy
Post Design	cylindro-conical	cylindrical	cylindrical	cylindrical	cylindrical	cylindrical	cylindrical
Head Design	Three head design with antirotation surfaces	Two head design with antirotation surfaces	Two head design with antirotation surfaces	Angular, flat head and slightly bent	Rounded, undercut double head design	Rounded, undercut double head design	Tailor-made
Fixing Type	Adhesive – light and cemical curing	Adhesive – light and cemical curing	Adhesive – cemical curing	Cementation	Cementation	Screwing and Cementation	Cementation
Retention Type	Passive – retention ledges	Passive – retention ledges	Passive – retention ledges	Passive – X-Shape retention pattern incl. cement venting	Passive – X-Shape retention pattern incl. cement venting	Aktive – Thread and X-Shape retention pattern incl. cement venting	Passive – X-Shape retention pattern incl. cement venting
Aesthetics	00000	00000	0000	×××	×××	×××	×××
Stability	0000	0000	0000	××××	××××	××××	××××
Radiopacity	0000	0000	0000	××××	××××	××××	××××
Length Adjustment	At head	At head and post tail	At head and post tail	At head and post tail	At head and post tail	At head and post tail	Tailor-made
Light transmitting	Yes	Yes	No	No	No	No	No
Sizes	4	6	5	7	7	6	7
Drills	ParaPost Taper Lux Drills			7 Para Post Drills 6 Para Post XT Drills, 3-fluted, with			

O | X insufficient OO | X X sufficient OOO | X X X satisfactory OOOO | X X X X good OOOOO | X X X X X excellent

# ParaPost® Fiber Posts



# Taper Lux®

- Cylindro-conical post for narrow canals where protection of sound tooth structure is absolutely key
- 4% tapered design provides a good apical fit with greater taper file technique
- Translucent, light-transmitting for fast on-command cementation
- > Three head design for easy post length
- > Rounded undercut head shape for optimal
- → Four sizes • •







- > Translucent, light-transmitting for fast on-command cementation
- > Rounded, undercut double head design for optimal core retention
- Easy post length adjustment is on head and apical end possible
- > Six sizes • • •









- optimal core retention


















- Opaque fiber resin for masking discolored
- Easy post length adjustment is on head and apical end possible
- > Five sizes • • •



ParaPost® Taper Lux®

«I love the taper design





# ParaPost® – Fiber Posts Benefits



#### **Metal-Free Aesthetics**

- All ParaPost Fiber Posts are ideal for highly aesthetic, metal-free restorations within their individual characteristics
- > Fiber Posts are made of translucent or opaque fiber resin materials that reflect the natural hues of the tooth and eliminates shadows through all-ceramic crowns or composite restorations at the gingival/crown interface.
- Its elasticity performance rivals that of dentin less risk of fracture of the root since loading is more evenly distributed
- > Less brittle than ceramic root posts

## **Superior Head Design**


- Rounded, undercut multihead designs minimizes stress in the core material due to polymerization shrinkage
- > Multi-head designs for easy post length adjustment
- Multi undercuts help to increase mechanical retention of the core material
- > Antirotation surfaces stabilize the adapted core build-up

Using computer analysis and imaging\*, areas of stress concentrations can be predicted. Red indicates areas of greatest stress.

-80.0 100.0 120.0 140.0


-180.0 -200.0 -220.0 -240.0

#### ParaPost® Fiber Lux®/Fiber White®



The rounded head design of the Fiber Lux and Fiber White reduce stresses in the core material and thereby prevent micro-fractures

#### Other Posts



Posts that have heads with sharp edges or angles create stress points in the core material that can lead to micro-fractures


### **Fast On-Command Cementation**

- The translucent, light transmitting fiber resin material of ParaPost Taper Lux and Fiber Lux allows the use of light-curing cements and core material.
- > Greater control over cement set time
- > Free choice between dual-or self curing resin cements

### **Superior Strength**

- High percentage of unidirectional fiber clusters gives excellent strength characteristics, without compromising flexibility
- Retention ledges increase mechanical retention
- Cylindrical post design evenly distribute functional forces and eliminating the wedging effect of tapered posts

Uniformly unidirectional fibre clusters strengthen the post structure without compromising flexibility.




1. Remarkable Strength
Fiber Lux – 400 × enlargement

2. Superior Strength

A scanning electron microscope image shows a cross-section of a Fiber Lux post

### **Excellent Radiopacity**

Radiograph of Fiber Lux, and two other fiber posts.



The radiopacity of ParaPost Taper Lux and Fiber Lux allows the posts to be seen clearly on a radiograph

# **Outstanding Monobloc Restoration**

ParaPost Fiber Posts are made for the use of resin based cement and core build-up materials (e.g. ParaCore) to provide an optimal «monoblock» between the dentin-post-crown, resulting in one cohesive restoration with outstanding durability and strength



# Extraordinary Bonding Fiber Lux – 140 × enlargement Fiber Lux undergoes a chemical bond with self- and dual-curing cements and all core materials with a composite base.

<sup>\*</sup> Finite Element Analysis by SAS Ingenieurbüro AG, Switzerland

# ParaPost® Fiber Post – Clinical Application



Preoperative clinical situation right lateral incisor #12 after root canal treatment with provisional sealing











Applying One Coat 7 Universal into rootcanal and tooth surface for 20 sec. Afterwards removal of excess bond with a gentle flow of air and a paper point



Freehand core build-up using ParaCore automix







# ParaPost® X-System Metal Posts



### **XP<sup>™</sup> Post**

- > Cylindrical post with flat head is ideal for the treatment of slim or of multi-rooted teeth
- > X-Shape retention pattern including cement venting for superior mechanical grip
- > Available in Titanium alloy (Ti6AL4V) and stainless steel
- > Seven sizes • • • , all compatible with ParaPost Drills




### XH™ Head

- > Cylindrical post for easy core build-up application
- > Rounded, undercut double head design for optimal
- > Flat shoulder stop provides security against over insertion and apical stress
- > X-Shape retention pattern including cement venting for superior mechanical grip
- > Seven sizes • • o, all compatible with ParaPost Drills



### **XT™ Thread**

- > Threaded post with X-Shape retention pattern cylindrical – where very high mechanical grip is required
- > Patented, low-profile threads cut through dentin with minimal insertional stress
- > Threads are located only in the coronal area where root canal walls are thicker
- > Rounded, undercut double head design for optimal
- > Flat shoulder stop provides security against over insertion and apical stress
- → Six sizes ● ● ● , all compatible with ParaPost Drills



# ParaPost® X-System Metal – Benefits

# Complete Endodontic Post System For All Indications

- State-of-the-art universal endodontic post system for all direct and casting techniques
- > Standardized system with up to seven sizes
- Non-end cutting, depth-calibrated drills for precise canal preparation
- > Two- or three-fluted drills available

# Patented, X-Shape Retention Pattern Provides

- > Resistance to rotation
- > Superior tensile retention
- > Excellent cement venting
- Parallel sides distribute functional stress
   equally along the entire length of the post

# **Special Manufacturing Technique Provides**

- > Increased resistance to oblique forces
- > Chamfered for ease of insertion during cementation

# What Makes ParaPost®X™ Posts So Resistant To Oblique Forces?

It's the combination of a unique manufacturing technique and retention pattern


#### X-Shape Manufacturing

Retention pattern is made by a special cold-forming process which produces an uninterrupted fibrous grain structure in the alloy, increasing the post resistance to oblique forces.



#### X-Shape Retention Pattern

The retention pattern has a larger cross-sectional area at any point along the entire post length, providing greater resistance to oblique forces.




#### **Traditional Manufacturing**

Traditional machined retention patterns produce an interrupted grain structure in the alloy, reducing the post resistance to oblique forces.



#### **Traditional Retention Pattern**

Traditional circular retention patterns have a smaller cross-sectional area at each groove, which concentrates oblique forces toward the inner areas, reducing the post resistance to oblique forces.




# 


#### Titanium Alloy

ParaPost X Posts are made from Ti6AL4V titanium alloy which is twice as strong as pure titanium. Ti6AL4V is used for high stress-bearing implant parts (ie., hip joints, dental abutment retaining screws).


#### Resistance to Rotation(1)



#### Tensile Retention(1)



#### Resistance to Oblique Forces(1)



Source. Euclus Fitkii Finc., Consulting, Engineers, Testing Laboratories

<sup>(1)</sup> Source: Lucius Pitkin Inc., Consulting, Engineers, Testing Laboratories





**XP™ Impression Post** 

> Seven sizes • • • • • all compatible with ParaPost Drills

- > Seven sizes • • o and a like with ParaPost Drills



- > Seven sizes •••• all compatible with ParaPost Drills





Indirect technique



# ParaPost® X-System – **Casting Technique – Benefits**

- distribute functional stress while eliminating the wedging

### ParaPost® Drills





- > Cutting drill to define drill depth
- > Two-fluted, very good cutting efficiency
- > Laser marks at 7, 9 and 11 mm for drilling depth determination
- → For fiber post removal



#### ParaPost® X-System Drills

- > Cylindrical, Standard drills
- > Two-fluted, very good cutting efficiency
- > Laser marks at 7, 9 and 11 mm for drilling depth determination
- > Seven sizes



#### ParaPost® XT™ Drills

- → Cylindrical, Premium drills
- → Three-fluted, reduced vibration and higher durability
- → Laser marks at 7, 9 and 11 mm for drilling depth determination
- → Six sizes



#### ParaPost® Taper Lux® Drills

- > Cylindro-conical, drills only compatible for ParaPost Taper Lux Posts
- > Two-fluted, very good cutting efficiency
- > Laser marks at 7, 9 and 11 mm for drilling depth determination

19

> Four sizes

21

# Hints And Tips For A Successful Post Preparation

# Crown/Root/Post Proportions

- 1. Selected Post diameter shall not be larger than 1/3 of root diameter
- 2. Post length in the root should be as long as the height of the crown
- 3. Post length should be at least ½ of root length
- 4. 1/3 of post length should be located in the coronal area and 2/3 in the root
- 5. Apical stop shall be at a least 4 mm



Preserving sound coronal and radicular tooth structure to create a ferrule effect is crucial for the optimal biomechanical behavior of restored teeth.

1.5- to 2-mm of ferrule has a positive effect on fracture resistance. Residual dentinal walls are expected to be at least 1mm thick. An incomplete ferrule is considered to be a better option than a complete lack of ferrule.


In teeth with no coronal structure orthodontic extrusion should be considered rather than surgical crown lengthening

# **Biologic Width**

The biologic width is the distance from the depth of the gingival sulcus to the crest of the bone (average 2.04 mm\*). Biologic width is inviolable to protect periodontal health, which is

one of the keys for tooth and dental restoration longevity. This distance can be corrected with crown lengthening: surgical osteotomy, gingivectomy or orthodontic extrusion.

\* Schmidt JC, Sahrmann P, Weiger R, Schmidlin PR, Walter C. Biologic width dimensions – a systematic review. J Clin Periodontol 2013; doi: 10.1111/jcpe.12078.



# One System – **Core Build-Up And Cementation**

#### **ParaCore**

Dual-cured, glass-reinforced composite for post cementing, core build-ups and crown & bridge cementation.

#### 3 Indications - 1 Material


#### 3 Colors – 2 Timings – 1 Material

ParaCore simplifies the post and core restorative technique with its ability to be used as a 3-in-1 material for post cementation, core build-ups and crown & bridge cementation. ParaCore can also be used to cement inlays and onlays. Using one material for cementation and core build-ups provides an optimal «monoblock bond interface» between the dentinpost-crown, resulting in one cohesive restoration with outstanding durability and strength.



For more information download the prospekt on www.coltene.com

### **Indications**



### SoloCem

Secure cementing does not depend on the number of working steps. Self-adhesive SoloCem achieves reliable values – with no additional bonding.

This is the result of monomers contained and the composite-like formulation. The convenient automix syringe and the ready-touse mixing tips offer a simple and time-saving application of SoloCem. Easy to use and time saving high bonding strengths without additional adhesive low shrinkage antibacterial zinc oxide high radiopacity.

For more information download the prospekt on www.coltene.com

#### Easy and fast application

SoloCem saves you time without having to forego reliable bonding. MDP and 4-MET(A) monomers ensure good bonding

range of different materials without requiring a separate adhesive. This simplified form of application reduces the risk of potential error sources which could affect the bond and thus the quality of the entire restoration.

- > self-adhesive properties
- > fluorescent
- > Automix syringe and ready-to-use mixing tips
- > Intraoral processing time of approx. 60 seconds
- > easy removal of excess material (after light curing for 3 s)


#### Indications

The easy handling of SoloCem offers advantages in a number of indications. You can count on the self-adhesive properties of SoloCem for the permanent cementation of:

- > crowns (ceramic, metal, composite)
- > bridges (ceramic, metal, composite)
- > inlays (ceramic, metal, composite)
- > onlays (ceramic, metal, composite)
- > all types of endodontic posts
- > implant abutments (zirconium oxide and titanium)

### **Indications**





For core build-up use a resin based core build-up material



Cementing of restoration

# **Order Information**

### Kits

		○ Fiber, Metal-free						
		ParaPost	Taper Lux	ParaPost Fiber Lux		ParaPost Fiber White		
	REF	PF	PF180		PF170		PF160	
Size	Ø in mm	Posts	Drills	Posts	Drills	Posts	Drills	
• 3	0.90	-	-	2 pcs	1 pc	-	-	
<u> </u>	1.00	-	-	3 pcs	1 pc	-	-	
• 4.5	1.14	5 pcs	1 pc	3 pcs	1 pc	3 pcs	1 pc	
• 5	1.25	5 pcs	1 pc	3 pcs	1 pc	3 pcs	1 pc	
• 5.5	1.40	3 pcs	1 pc	2 pcs	1 pc	2 pcs	1 pc	
• 6	1.50	2 pcs	1 pc	2 pcs	1 pc	2 pcs	1 pc	
• 7	1.75	-	-	_	-	-	-	

	X Titanium Alloy						
		ParaPo	st XP	ParaPo	ParaPost XH		ost XT
REF			Alloy: <b>P780T</b> Steel: <b>P780</b>	P880		P880 P680T	
Size	Ø in mm	Posts	Drills	Posts	Drills	Posts	Drills
• 3	0.90	4 pcs	1 pc	4 pcs	1 pc	3 pcs	1 pc
<u> </u>	1.00	5 pcs	1 pc	5 pcs	1 pc	5 pcs	1 pc
• 4.5	1.14	5 pcs	1 pc	5 pcs	1 pc	5 pcs	1 pc
<b>•</b> 5	1.25	5 pcs	1 pc	5 pcs	1 pc	5 pcs	1 pc
• 5.5	1.40	2 pcs	1 pc	2 pcs	1 pc	4 pcs	1 pc
• 6	1.50	2 pcs	1 pc	2 pcs	1 pc	3 pcs	1 pc
• 7	1.75	2 pcs	1 pc	2 pcs	1 pc	-	-

	X Casting								
			ParaPost XP						
	REF	P781							
Size	Ø in mm	Impression Posts	Temporary Posts	Burnout Posts	Drills				
• 3	0.90	3 pcs	3 pcs	3 pcs	1 pc				
<u> </u>	1.00	4 pcs	4 pcs	4 pcs	1 pc				
• 4.5	1.14	4 pcs	4 pcs	4 pcs	1 pc				
<b>•</b> 5	1.25	4 pcs	4 pcs	4 pcs	1 pc				
• 5.5	1.40	4 pcs	4 pcs	4 pcs	1 pc				
• 6	1.50	3 pcs	3 pcs	3 pcs	1 pc				
• 7	1.75	3 pcs	3 pcs	3 pcs	1 pc				



# **Order Information**

### Refills

	O Fiber, Metal-free Posts						
		ParaPost Taper Lux		ParaPost Fiber Lux		ParaPost Fiber White	
Size	Ø in mm	10 pcs	5 pcs	10 pcs	5 pcs	10 pcs	5 pcs
• 3	0.90	-	-	60018568	PF1713	60018563	PF1613
<u> </u>	1.00	-	-	60018569	PF1714	-	-
• 4.5	1.14	60018577	PF18145	60018570	PF17145	60018564	PF16145
• 5	1.25	60018578	PF1815	60018571	PF1715	60018565	PF1615
• 5.5	1.40	60018579	PF18155	60018572	PF17155	60018566	PF16155
• 6	1.50	60018580	PF1816	60018573	PF1716	60018567	PF1616
• 7	1.75	-	-	-	-	-	-

X Stainless Steel			X Titanium Alloy Posts				
			ParaPost XP	ParaPost XH		ParaPost XT	
Size	Ø in mm	25 pcs	10 pcs	10 pcs	10 pcs	30 pcs	10 pcs
• 3	0.90	P7443B	P7443	P7843	P883	P6830B	P6830
<u> </u>	1.00	P7444B	P7444	P7844	P884	P6840B	P6840
• 4.5	1.14	P74445B	P74445	P78445	P8845	P6845B	P6845
• 5	1.25	P7445B	P7445	P7845	P885	P6850B	P6850
• 5.5	1.40	-	P74455	P78455	P8855	-	P6855
• 6	1.50	-	P7446	P7846	P886	-	P6860
• 7	1.75	-	P7447	P7847	P887	-	-


	X Casting Posts							
		ParaPost XP Impression	ParaPost XP Temporary	ParaPost X	P Burnout			
Size	Ø in mm	20 pcs	20 pcs	25 pcs	10 pcs			
• 3	0.90	P7433	P7463	P7513B	P7513			
<u> </u>	1.00	P7434	P7464	P7514B	P7514			
• 4.5	1.14	P74345	P74645	P75145B	P75145			
<b>•</b> 5	1.25	P7435	P7465	P7515B	P7515			
• 5.5	1.40	P74355	P74655	P75155B	P75155			
• 6	1.50	P7436	P7466	P7516B	P7516			
• 7	1.75	P7437	P7467	_	P7517			

### **Initial Drill**

OX Drills				
	Quantity	REF		
Initial Drill	1 pc	TEDC1		

### Drills

		OX Drills	OX Drills	O Drills
		ParaPost (all systems – two fluted)	ParaPost XT (all systems – three fluted)	ParaPost Taper Lux (only Taper Lux)
Size	Ø in mm	3 pcs	3 pcs	3 pcs
• 3	0.90	P423	P6230	-
<u> </u>	1.00	P424	P6240	-
• 4.5	1.14	P4245	P6245	P8245
• 5	1.25	P425	P6250	P825
• 5.5	1.40	P4255	P6255	P8255
• 6	1.50	P426	P6260	P826
• 7	1.75	P427	-	-
One Dr	ill each size	6 pcs	6 pcs	4 pcs
Kit		P42A	P682A	P82A





© COLTENE – www.coltene.com



Coltène/Whaledent Inc.

235 Ascot Parkway Cuyahoga Falls, Ohio 44223 / USA T +1 330 916 8800 F +1 330 916 7077 info.us@coltene.com Coltène/Whaledent Ltd.

The President Suite Kendal House, Victoria Way Burgess Hill, West Sussex RH15 9NF / UK T +44 1444 235486 F +44 1444 870640 info.uk@coltene.com Coltène/Whaledent AG

Feldwiesenstrasse 20 9450 Altstätten / Switzerland T +41 71 757 5300 F +41 71 757 5301 info.ch@coltene.com

