

PRO-FORM SPLINT AND RETAINER

Manufacturer:

Section 1 – Identification of the Substance/Preparation and of the Company/Undertaking

Product Name: Pro-Form Splint and Temporary

Retainer of Various Thicknesses

Copolyester

Synonyms:

Chemical Name /

Emergency Phone Numbers: US & Canada (800) 535 - 5053

Information Contacts: (856)-663-4700

KEYSTONE INDUSTRIES 52 King Street Myerstown, PA 17067

Family: Copolyester **EU Address:** KEYSTONE EUROPE LLC.

Product Use: Vacuum Form Material Batavenweg 7

5349BC OSS, Netherlands **Product #:** 9614780, 90;

Emergency Phone Numbers: 9614800, 10, 16, 20, 30, 40, 50, 60, 70, 75, 80; International: 1-352-323-3500 9614950; 9615025

Section 2 – Hazards Identification

EMERGENCY OVERVIEW

This information is based on findings from related or similar materials.

- Material is not considered hazardous by OSHA per 29 CFR 1910
- Molten Resin cause severe thermal burns.
- Improper use can lead to mechanical cuts.

Potential Health Effects, Signs and Symptoms of Exposure:

Primary Route of Entry Inhalation, skin, and ingestion.

Eve

Skin Prolong contact is essentially non-irritating to skin. There can be mechanical injury, if impacted with

skin. Under normal processing conditions, material is heated to elevated temperatures; contact with

the material can cause thermal burns. No adverse effects anticipated by skin absorption.

If un-formed material becomes lodged in subject's mouth, do not swallow, spit it out. Ingestion

Inhalation Inhalation of dust may cause respiratory irritation. Fumes produced during thermal process may cause

irritation.

NOTE: Refer to Section 11, Toxicological Information for Details

Section 3 – Composition/Information on Ingredients

Chemical Identity	CAS Numbers	EINECS#	INCI Name	Exposure OSHA TWA/STEL	Limits ACGIH TWA/STEL	Carcinogen IARC/NTP/OSHA	%
Non-hazardous							
N/E – None Established N/R – Not Reviewed	N/DA – No Data Avai N/A – Not Applicable		<u> </u>				<u> </u>

See Section 16 for Hazard and Precautionary Statement Key.

Section 4 – First Aid Measures

Solid Product is neither an irritant nor gives off hazardous vapors at ambient temperatures

First Aid for Eye This material is non-irritating upon contact, except upon impact as any foreign particle in the eye.

First Aid for Skin Not a hazard at ambient conditions. Washing hands is preferable after use. Contact with heated

material may cause thermal burns. Do not attempt to remove material from skin. Cool rapidly with

cold water. Obtain medical treatment. Treatment as any normal thermal burn.

Do not swallow. Material is not expected to cause an ingestion problem. First Aid for Ingestion

First Aid for Inhalation N/A

Revised Date: 06/16/2015 | Replaces Date: 06/23/2011 pg. 1 of 4



PRO-FORM SPLINT AND RETAINER

Section 5 – Fire Fighting Measures

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Method:

Extinguishing Media: Suitable extinguishing media for the surrounding fire should be used.

Fire Fighting Instructions: Vinyl film is self extinguishing; however if burning is supported by another source of material, fumes

could be irritating.

Unusual Hazards: Use self contained breathing apparatus when fighting fires.

Section 6 – Accidental Release Measures

Spill or Release Minor spills – Clean up immediately. Slipping hazard.

Procedures Major spills – Clear area of personnel. Restrict access to area. Clean up immediately. Slipping hazard.

See section 8 & section 12.

Section 7 – Handling and Storage

Handling No special handling requirements.

Storage Store in a cool, dry location away from sparks. Material is hydroscopic, keep away from water & moisture.

Explosion Hazard None.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls No special engineering controlled required.

Personal Protective Equipment

General To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a

hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132), or European Standard

EN166 be conducted before using this product.

Eye/ Face Protection Wear safety glasses with side shields. Wear face shield during thermal process.

Skin Protection Thermal insulating glove when handling molten product.

Respiratory Protection None under ordinary operating use.

Section 9 – Physical and Chemical Properties

Appearance		Odor	& Odor Threshold		PН	Speci	fic Gravity	Visco	osity	% V	olatile
Clear, film or sheets			Odorless	l	N/A	(H2O	= 1): 1.25-	N/	Α		N/A
							1.35				
Boiling Point/ Freezing Point	Decomposi Temperat		Octanol/Water Partitioning Coeffici	ent	Vap Pressi	-	Vapor Density		oration ate	Ignition	Solubility In Water

Freezing Point	Temperature	Partitioning Coefficient	Pressure:	Density	Rate	iginuon	In Water
	_	Log Po/w		-			(20°C)
N/A	N/DA	N/DA	N/A	N/A	N/A	N/A	N/A

Flash Point (°F/°C)	Flammable Limit (vol%)	Auto-ignition Temperature (vol%)
N/A	N/A	N/A

Section 10 – Stability and Reactivity

Stability: Incompatibility (Materials to Avoid):

Stable solid None

Hazardous Decomposition Products: Hazardous Polymerization:

CO or CO2 Will not occur

Conditions to Avoid: Heat, moisture, water

pg. 2 of 4 Revised Date: 06/16/2015 | Replaces Date: 06/23/2011



PRO-FORM SPLINT AND RETAINER

Section 11 – Toxicological Information

Acute Oral Toxicity	Acute Dermal Toxicity	Acute Inhalation	Irritation – skin	Irritation – Eye
		Toxicity		
N/DA	N/DA	N/DA	N/DA	N/ DA
Sensitization		Mutagenicity	Sub-ch	ronic Toxicity
N/ DA		N/DA		N/ DA

Section 12 – Ecological Information

Ecotoxicological Information

Acute Toxicity to Fish	Acute Toxicity to Invertebrates	Acute Toxicity to Algae	Bioconcentration	Toxicity to Sewage Bacteria
N/DA	N/ DA	N/ DA	N/ DA	N/ DA

Chemical Fate Information

Biodegradability	N/A. This material is not expected to bioaccumulate.
Chemical Oxygen Demand	N/ DA

Section 13 – Disposal Considerations

Dispose of in compliance with governmental regulation (state and federal).

Dispose of container and unused contents in accordance with federal, state and local requirements. For EU Member States, please refer to any relevant Community provisions relating to waste. In their absence, it is useful to remind the user that national or regional provisions may be in force.

Section 14 – Transport Information

Non-regulated, non-hazardous material: DOT, IATA, IMO (IMDG).

Section 15 – Regulatory Information

US Federal Regulations	
Clean Air Act: HAP/ODS	This product contains the following HAP's or ODS:
	• NONE
Clean Water Act: Priority	This product contains the following chemicals listed under the U. S. Clean Water Act
Pollutant	Priority Pollutant and Hazardous Substance List:
	• None
FDA: Food Packaging Status	This product has not been cleared by the FDA for use in food packaging and / or other
	applications as an indirect food-packaging additive.
Occupational Safety and Health	This product is considered to be hazardous under the OSHA Hazard Communication
Act	Standard. It's hazards are:
	• None
RCRA	This product contains the following chemicals considered to be hazardous waste under
	RCRA (40 CFR 261).
	• None
SARA Title III: Section 302 (RQ)	This product contains no chemicals regulated under Section 302 as extremely hazardous
	substances.
SARA Title III: Section 302	This product does not contain chemicals regulated under Section 304 as extremely
(TPQ)	hazardous chemicals for emergency release notification ("CERCLA" List).
SARA Title III: Section 311-312:	This product is not considered to be hazardous under the OSHA Hazard Communication
	Standard and is regulated under Section 311-312 (40 CFR 370).

pg. 3 of 4 Revised Date: 06/16/2015 | Replaces Date: 06/23/2011



PRO-FORM SPLINT AND RETAINER

SARA Title III: Section 313:	This product contains the following chemicals which are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372: • None
TSCA Section 8(b): Inventory:	This product complies with US TSCA requirements.
TSCA Significant New Use Rule:	None of the chemicals in this material have a SNUR under TSCA.

State Regulations

The components to this product are listed on the appropriate applicable state regulations.

International Regulations


 Tree tree tree tree tree tree tree tree	
CDSL: Canadian Inventory	All components are listed, where applicable, Not controlled under WHMIS.
(on Canadian Transitional List)	

Labeling according to EC directives - 1272/2008 {CLP} AND 1999/45/EC (items in parenthesis relate to 1999/45/EC)

European Community:	For Proform Splint and Temp. Retainer (finished product):
	• DANGER SYMBOLS: N/A – non hazardous
	• HAZARD STATEMENT: N/A
	• PRECAUTIONARY STATEMENT: N/A

Section 16 – Other Information

Hazard Rating System (Pictograms)



Initial SDS Prepared by:	WME 03/08/11
Revision History:	06/23/11 Updated WHMIS.
	6/12/15 Removed "Material' from Material Safety Data Sheet, and M from MSDS

The information presented herein was obtained from sources considered to be reliable. However, this information is provided without any warranty, expressed or implied, regarding its correctness or suitability for consumers intended use and/or application. For this and other reasons, we assume no responsibility and expressly disclaim liability for loss, damage or expense arising out of any way connected with the handling, storage, use or disposal of the product. This SDS was prepared expressly for this product. Use the materials only as directed. If the product is used as a component of another product, the information contained within the SDS may not be applicable. If there are any problems or concerns understanding this SDS form, please direct all questions to INFOTRAC, Chemical Emergency Resources System at 1(800) 535-5053.

Keystone Industries components are provided on an as is basis without warranties of any kind either expressed or implied. Keystone Industries does not warrant the use or the results of use of the materials sold on an as is basis since they are intended for remanufacturing or repackaging. It is the sole responsibility of the user to examine and determine appropriate application and regulatory requirements associated with said Keystone Industries components.

pg. 4 of 4 Revised Date: 06/16/2015 | Replaces Date: 06/23/2011